

Iowa Department of Human Services

Request for Prior Authorization

RIFAXIMIN (XIFAXAN®)

FAX Completed Form To 1 (800) 574-2515

Provider Help Desk 1 (877) 776-1567

(PLEASE PRINT – ACCURACY IS IMPORTANT)

IA Medicaid Member ID #	Patient name		DOB	
Patient address				
Provider NPI	Prescriber name		Phone	
Prescriber address			Fax	
Pharmacy name	Address		Phone	
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.				
Pharmacy NPI	Pharmacy fax	NDC 		
Prior authorization is required for rifaximin. Only FDA approved dosing will be considered. The required trials may be overridden when documented evidence is provided that the use of these agents would be medically contraindicated.				
Strength	Dosage Instructions	Quantity	Days Supply	
Diagnosis (select from below): Travelers' Diarrhea				
Payment will be considered under the following conditions:				
<u> </u>				
Patient is 12 years of age or older: Yes No Patient has a diagnosis of travelers' diarrhea not complicated by fever or blood in the stool or diarrhea due to pathogens other than Escherichia coli: Yes No				
Patient has documentation of an adequate trial and therapy failure at a therapeutic dose with a preferred generic fluoroquinolone or azithromycin:				
Drug name & dose:		Trial dates:		
Reason for failure:				
A maximum 3 day course of therapy (9 tablets) of the 200mg tablets per 30 days will be allowed.				
☐ Hepatic Encephalopathy				
Patient is 18 years of age or o	lder: Yes	☐ No		
Patient has a diagnosis of hepatic encephalopathy:				
Patient has documentation of an adequate trial and therapy failure at a therapeutic dose with a lactulose:				
Trial dose:		Trial dates:		
Reason for failure:				

Request for Prior Authorization-Continued RIFAXIMIN (XIFAXAN®)

(PLEASE PRINT - ACCURACY IS IMPORTANT)

☐ Irritable Bowel Syndrome with Diarrhea				
Patient is 18 years of age or older:				
Patient has a diagnosis of irritable bowel syndrome with diarrhea:				
Patient has documentation of an adequate trial and therapy failure at a therapeutic dose with a preferred antispasmotic agent (dicyclomine, hyoscyamine):				
Drug name & dose: Tri	al dates:			
Reason for failure:				
Patient has documentation of an adequate trial and therapy failure amitriptyline and loperamide:	at a therapeutic dose with			
Amitriptyline Trial: Dose: Tri	al dates:			
Reason for failure:				
Loperamide Trial: Dose: Tri	al dates:			
Reason for failure:				
If criteria for coverage are met, a single 14-day course will be approved.				
Subsequent requests will require documentation of recurrence of IBS-D symptoms. A minimum 10 week treatment-free period between courses is required. A maximum of 3 treatment courses of rifaximin will be allowed per lifetime.				
☐ Recurrence of IBS-D symptoms? ☐ Yes (describe):	No			
☐ Previous treatment? ☐ Yes (provide all treatment dates):	No			
Possible drug interactions/conflicting drug therapies:				
Attach lab results and other documentation as necessary.				
Prescriber signature (Must match prescriber listed above.)	Date of submission			

IMPORTANT NOTE: In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Human Services, that the member continues to be eligible for Medicaid.

470-5411 (8/16) Page 2 of 2