Request for Prior Authorization
OMALIZUMAB (XOLAIR)

FAX Completed Form To
1 (800) 574-2515
Provider Help Desk
1 (877) 776-1567

(PLEASE PRINT – ACCURACY IS IMPORTANT)

IA Medicaid Member ID #	Patient name	DOB
Patient address		
Provider NPI	Prescriber name	Phone
Prescriber address		Fax
Pharmacy name	Address	Phone
Prescriber must complete all information above. It must be legible, correct, and complete or form will be returned.		
Pharmacy NPI	Pharmacy fax	NDC

Prior authorization (PA) is required for omalizumab (Xolair) prefilled syringe and autoinjector. Requests for omalizumab (Xolair) lyophilized powder for reconstitution will not be considered through the pharmacy benefit. Request must adhere to all FDA approved labeling for requested drug and indication, including age, dosing, contraindications, warnings and precautions, drug interactions, and use in specific populations. Payment for omalizumab (Xolair) prefilled syringe and autoinjector will be considered under the following conditions:

1. **Therapy will be initiated in a healthcare setting, under the guidance of a healthcare provider, where the patient can be closely observed for anaphylaxis and safety of therapy has been established after a minimum of 3 doses of omalizumab; and**
2. **The healthcare provider has determined self-administration with omalizumab is appropriate based on careful assessment of risk for anaphylaxis and mitigation strategies, as outlined in the label; and**
3. **Prescriber is an allergist, dermatologist, immunologist, otolaryngologist or pulmonologist; and**
4. **For a diagnosis of asthma, chronic rhinosinusitis with nasal polyps, IgE-mediated food allergy, and any other FDA approved diagnosis where dosing is dependent on serum IgE level and body weight, the pretreatment IgE level and body weight, in kilograms (kg), is provided. Note: according to the label, there is insufficient data to recommend a dose for certain pretreatment serum IgE levels and body weight. PA requests will be denied in these instances; and**
5. **Patient has access to an epinephrine injection to treat allergic reactions that may occur after administration of omalizumab (Xolair); and**
6. **Prescriber and dispensing pharmacy will educate patient on proper storage and administration. Improperly stored medications will not be replaced.**

Moderate to Severe Persistent Asthma:

1. **Patient has a diagnosis of moderate to severe persistent asthma for at least one year, and**
2. **Patient has a Patient has a history of positive skin or RAST test to a perennial aeroallergen; and**
3. **Patient is currently using a high dose inhaled corticosteroid, long-acting beta-agonist, AND leukotriene receptor antagonist, and is compliant with therapy and asthma symptoms are not adequately controlled after at least three (3) months of therapy.**

If the criteria for coverage are met, the initial authorization will be given for 16 weeks to assess the need for continued therapy. Requests for continuation of therapy will not be granted for patients who have not shown adequate response to omalizumab (Xolair) therapy and for patients who do not continue concurrent use with a high dose inhaled corticosteroid, long-acting beta-agonist, and leukotriene receptor antagonist.

<u>Chronic Idiopathic Urticaria:</u>

1. **Patient has a diagnosis of moderate to severe chronic urticaria; and**
2. **Patient has documentation of a trial and therapy failure with at least one preferred second- generation antihistamine, one of which must be cetirizine at a dose up to 20mg per day; and**
3. **Patient has documentation of a trial and therapy failure with at least one preferred first-generation antihistamine; and**
4. **Patient has documentation of a trial and therapy failure with at least one preferred potent H1 receptor antagonist (hydroxyzine and/or doxepin); and**
5. **Patient has documentation of a trial and therapy failure with a preferred leukotriene receptor antagonist in combination with a first- or second- generation antihistamine.**

Request for Prior Authorization
OMALIZUMAB (XOLAIR)
(PLEASE PRINT – ACCURACY IS IMPORTANT)

If criteria for coverage are met, the initial authorization will be given for 12 weeks to assess the need for continued therapy. Requests for continuation of therapy will not be granted for patients who have not shown adequate response to omalizumab (Xolair) therapy.

Nasal Polyps:
1. **Patient has a diagnosis of nasal polyps; and**
2. **Patient has documentation of an adequate trial and inadequate response with at least two nasal corticosteroids at a maximally tolerated dose; and**
3. **Will be used concurrently with a nasal corticosteroid.**

If criteria for coverage are met, the initial authorization will be given for 24 weeks to assess the need for continued therapy. Requests for continuation of therapy will not be granted for patients who have not shown adequate response to omalizumab (Xolair) therapy and for patients who do not continue concurrent use with a nasal corticosteroid.

IgE Mediated Food Allergy:
1. **Medication is being prescribed for the reduction of allergic reactions (Type 1) that may occur with accidental exposure to one or more foods in a patient that has an IgE-mediated food allergy; and**
2. **Diagnosis is confirmed by a skin prick test or in vitro test (attach results); and**
3. **Will be used in conjunction with food allergen avoidance.**

The required trials may be overridden when documented evidence is provided that use of these agents would be medically contraindicated.

Preferred

☐ Xolair prefilled syringe ☐ Xolair autoinjector

Strength	Dosage Instructions	Quantity	Days Supply
______	______________________	______	______

Diagnosis: ____

Was therapy initiated in a healthcare setting, under the guidance of a healthcare provider for a minimum of 3 doses? ☐ Yes Date dose 1: __________ Date dose 2: __________ Date dose 3: __________ ☐ No

Has healthcare provider determined self-administration is appropriate based on careful assessment of risk for anaphylaxis and mitigation strategies, as outlined in the label? ☐ Yes ☐ No

Prescriber Specialty: ☐ Allergist ☐ Dermatologist ☐ Immunologist ☐ Otolaryngologist ☐ Pulmonologist

Other (specify): ______________________

Patient has access to epinephrine injection: ☐ Yes ☐ No

Has patient been educated on proper storage and administration? ☐ Yes ☐ No

Pretreatment IgE level: __________ Date Obtained: ______________

Patient's Weight (kg): __________ Date Obtained: ______________

Moderate to Severe Persistent Asthma:

Date of diagnosis: ______________

Request for Prior Authorization
OMALIZUMAB (XOLAIR)
(PLEASE PRINT – ACCURACY IS IMPORTANT)

Inhaled Corticosteroid trial: Drug Name:______________________Strength:_________Instructions: _______________
Trial dates: ____________________________

Inhaled Long-Acting Beta-Agonist trial: Drug Name: _________________Strength:_______Instructions: ____________
Trial dates: ___________________________

Leukotriene Receptor Antagonist trial: Drug Name:_________________Strength:_____Instructions: _______________
Trial dates: ___________________________
Medical or contraindication reason to override trial requirements: ____

History of positive skin or RAST test to a perennial aeroallergen: ☐ Yes ☐ No Date Performed: _________

For Renewals Only: Has patient shown adequate response to Xolair® therapy? ☐ Yes ☐ No
Please describe: ____

<u>Moderate to Severe Chronic Idiopathic Urticaria:</u>

Preferred Second-Generation Antihistamine trial: Drug Name:___________________Strength: _________
Dosing Instructions:_____________________________Trial dates: _______________

Preferred First-Generation Antihistamine trial: Drug Name:__________________Strength: __________
Dosing Instructions:____________________________Trial dates: _______________

Preferred Potent H1 receptor antagonist trial: Drug Name:__________________Strength: __________
Dosing Instructions:____________________________Trial dates: _______________

Preferred Leukotriene Receptor Antagonist in combination with a preferred first-or second- generation antihistamine:

Preferred Leukotriene Receptor Antagonist trial: Drug Name:__________________Strength: __________
Dosing Instructions:____________________________Trial dates: _______________

Preferred First-or Second-Generation Antihistamine trial: Drug Name:__________________Strength: __________
Dosing Instructions:____________________________Trial dates: _______________

For Renewals Only: Has patient shown adequate response to Xolair® therapy? ☐ Yes ☐ No
Please describe: ____

<u>Nasal Polyps:</u>

Nasal Corticosteroid Trials:

Trial 1: Drug Name:_________________________Strength: _______________
Dosing Instructions:___________________________Trial dates: _______________

Trial 2: Drug Name:_________________________Strength: _______________
Dosing Instructions:___________________________Trial dates: _______________

Request for Prior Authorization
OMALIZUMAB (XOLAIR)
(PLEASE PRINT – ACCURACY IS IMPORTANT)

Will omalizumab be used concurrently with a nasal corticosteroid? ☐ Yes Drug Name: ________________ ☐ No

For Renewals Only: Has patient shown adequate response to Xolair® therapy? ☐ Yes ☐ No

Please describe: ____

Is patient currently using a nasal corticosteroid? ☐ Yes ☐ No

IgE Mediated Food Allergy:

Is medication being prescribed for the reduction of Type 1 allergic reactions that may occur with accidental exposure to one or more foods in a patient that has an IgE-mediated food allergy? ☐ Yes ☐ No

Is diagnosis confirmed by a skin prick test or in vitro test? ☐ Yes (attach results) ☐ No

Will requested medication be used in conjunction with food allergen avoidance? ☐ Yes ☐ No

Medical or contraindication reason to override trial requirements: ____

____

Attach lab results and other documentation as necessary.

Prescriber signature (Must match prescriber listed above.)	Date of submission

IMPORTANT NOTE: *In evaluating requests for prior authorization the consultant will consider the treatment from the standpoint of medical necessity only. If approval of this request is granted, this does not indicate that the member continues to be eligible for Medicaid. It is the responsibility of the provider who initiates the request for prior authorization to establish by inspection of the member's Medicaid eligibility card and, if necessary by contact with the county Department of Health and Human Services, that the member continues to be eligible for Medicaid.*